State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

Other, explain

High Capacity, School or Wastewater Treatment Plant Well Approval Application RECEIVED-DNR

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information	<mark>a (Mario Mora Mora em Algoria de la Tra</mark> 1901 - Angli Ali (Mario em Algoria de Mario em Algoria de Mario em Algoria de Mario em Algoria de Mario em Algoria		ya ya qaraqatay iganiya dasabiyo Marada Marada a ya biba ayad	Angelia ang ito Ng Ngangan	Application of the place of a solution of the Control of the Control of the Control
Application Prepared By (Name and Tit	le)	0			
MARVIN HOPP		Koberts	Irrigation) Co.	Ja.
Street Address		City		State	ZIP Code
P.O. Box 490		Plover	WI	WE	54467
Telephone Number	Fax Number	E-Mail	Address .		
715.344-4747	715-344-450	5			
Property Ownership Information					
Property owner, if different than applican	t (Name of Person and Title)	Company .			
Knudtson tarm	is - Carlknudtson	n			2
Street Address	_	City	ä	State	ZIP Code
S. 5598 My K Telephone Number	ed. K	Tall Cree	K	WI	54742
	Fax Number	E-Mail /	Address		
715-579-1221					
Well Operator Information		Contain Server			
Well operator if different than owner (Nar	me of Person and Title)	Company			
Same					
Street Address		City		State	ZIP Code
Telephone Number	Fax Number	E-Mail A	ddress		
Property Information	A CONTRACTOR DESCRIPTION OF THE STATE OF THE		palatan kata Natura katabah Li-afan ki-bangan tanggan katabah	e ritus rise Macilianos	pinger kit de ja tim gelege antige av til Allam (1970) skunde in des ligt ein se
Entèr the High Capacity Well File Number b	elow if the property is already a	a high capacity property	. If the property is no	t designa	ted as a high capacity
property at the time of application, enter "No or use the compact disk of departmental we	ONE." NOTE: Find the file num ell data that is issued to drillers a	ber in upper right hand (and oump installers. On	corner of the most re the compact disk, se	cent nign e "File lo	cation" in red print in
"Location" section. File number format is as	follows: (1 or 2 digits for county) - (1 digit for well class	ification) - (1 to 4 dig	ts for ass	signed property no.).
County	Town		High Capacity W		
Eau Cloure	LINCOLN				
County Eau Clause Submittal Purpose	galant kara Makasa terdik badan. Kadi manggan kabupat an mada sa	and grapped in the series of		San destruction San destructions	e Maria Maria
Check all that apply:					
Install one or more new wells with a	a capacity greater than 70 ga	allons per minute.			
Install one or more new wells with a	a capacity less than 70 gallo	ns per minute on a hi	igh capacity prope	rty.	
Replace one or more wells with a c	apacity greater than 70 gallo	ons per minute.			
Replace one or more wells with a c	apacity less than 70 gallons	per minute on a high	capacity property	•	
Reconstruct one or more wells with	a capacity greater than 70 g	gallons per minute.			
Reconstruct one or more wells with		terral and a second control of the second control of the second	ilah canacity propi	ortv	and the second second second second
Increase numning rate in one or mo	a capacity less than 70 galle	ons per minute on a l	light capacity prop	orty.	
Tallo ease bombing rate in one of the	a capacity less than 70 galler for wells to a rate greater that			orty.	
Request continued operation of high	ore wells to a rate greater than a capacity wells after a chan	an previously approve ge in ownership. (No	ed. o application fee re		
Request continued operation of high	ore wells to a rate greater than a capacity wells after a chan	an previously approve ge in ownership. (No	ed. o application fee re		
	ore wells to a rate greater than a capacity wells after a chan b expired.	an previously approve ge in ownership. (No	ed. o application fee re		

_		itus Information	
and	the i	ne the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers information supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each llowing questions.	
YE:	s NO	City at a second of the second of the second of the second black and the second second of the property is not	
	Ø	Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:	·· · <u>-</u> ·
	乜	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:	
	Ø	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.	
<u> </u>	卤	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.	
		If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)	
		Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed: Open Closed	
	口	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:	
	1	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:	3
	闰 ;	ls a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5a.	
	口 [s a proposed well to be installed within-a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.	
	ىر a	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?	
□ ,		las the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high apacity property, check NO.	, 2 , 2
	∄ ls	s a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?	
] [Zν	/ill the well discharge directly to a storage pond?	•
	才 ls	a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?	
] [Z is	a proposed well within 1,200 feet of a quarry?	
	T	a proposed well located in a floodplain or floodway?	4.13
] 1100	∏⊸Ar Ac	e any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Iministrative Code?	tan sekyely dispekye
1 2	1 w	ill the well be used as a source of bottled water?	Court of the control
ľ	Are	e you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well nstruction standards?	ovidenta
1 87	COL	instruction standards:	ريني دري

Enter the following information		all existing	weils on	the prop	erty, if n	nore than	tour wells, s	ubmit ad	ullion	ai sneets:			
Well Name Assigned by Well Owr (North Well, etc.):	ier												
Well Number Assigned by Owner (001, 002, etc.):		1/	. /					•	. j j				_
WI Unique Well Number or NA if n питрег.	0) NE		<i>j</i> -4								_
Permanent DNR High Capacity We Number or N/A if none:	ell	1	7				-				•		
Public Water System ID Number, il Public (if not public, NONE):						3						-	 _·
Potable or Non-Potable Use:													
Type of Well (Irrigation, Industrial, Residential, etc.):												· · · · · ·	•
Requested Average Water Usage p Day in Gallons:	er					A							•
Requested Maximum Water Usage per Day in Gallons:									<i>.</i>		· · · · · ·		•
Seasonal? (April to October, Year Around, etc.):		,										. :	
Approved Pumping Capacity if Previously Approved (gpm):			· · · · · · · · · · · · · · · · · · ·		•					,			•
Current Pump Type & Capacity (gpn	n):					. •					,		
Proposed Pump Type & Capacity If Change Requested (gpm):	†										***************************************		
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):					· · · · · · · · · · · · · · · · · · ·								
Discharge Location (Building Pressu Tank, Pond, etc.):	re												
Height of Well Casing Above Ground in Inches:					-								•
Potential Contaminant Sources and Distance:						1.		٠,		1		·	
Well Loc: Quarter Quarter Pection		1/4 of	1,	4	_ 1/4 of	1/	4 (1/	4 of .	1/4	1	/4 of	1/4	
or Government Lot Number												~	
Section or French Long Lot No.					······································			• •		<u></u>	· · · · · · · · · · · · · · · · · · ·		
Township:	ĮŢ.	* \~~~~~	N	<u> </u>	<u> </u>	N.	, т.		N	Т		N.,	
Range (Select E or W):	R		LE V	V R		[JEJEY	/ R	E	□w	R	E	\square_{W}	
Latitude (Degrees and Minutes)	<u> </u>			<u></u>	0	7 40% F (************************************	<u> </u>		'	o`	· · · · · · · · · · · · · · · · · · ·		
Longitude (Degrees and Minutes)	<u>Ļ</u>	o		<u>'</u> -			<u> </u>	<u>ــــــــــــــــــــــــــــــــــــ</u>	<u>'</u>	0			
GPS Map Datum (WGS84, WTM91, etc.)			•			-	1	 -		Ξ.		•	•
nclude as much of the following inform rell construction record is attached, a	natio	on as practica	l for wells-	that do no	ot have w	ell constru	ction records a		· tha	nolicences,	IONi ir	4.6	
ate of Construction:	l l	and may rout	****									-	
rilled by (Name of Drilling Firm):	┢	···									7		
rilling Method(s) (Rotary, Percussion, Etc.)		-				-						i i i i i i i i i i i i i i i i i i i	*N :
'ell Depth In Feet:					-			7.7.					
oper Enlarged Drillhole Diameter in Inches and Depth in Feet:		inches,	feet	inc	ches,	feet	inches,	·········	feet	inches		feet	
wer Drillhole Diameter in Inches and Depth in Feet:		inches,	feet		ches,	feet	inches,		feet	inches		feet	
ell Casing Diameter in Inches and Depth in Feet	ch to top	inches.	**** feet	nui minima minim	hes.	isinaire (m.) feet	inches,	year News	feel	inches	identisticista (e)	feel	*2228
ell Casing Material and Wall Thickness:	تدنيد		uusee e				3						ا الأراف الأراف الما
nular Space Material Between	de de	erenal Lemens	y y		ida istriki id	yingili jiro	And the second s					ne de la	
There a Well Screen (Y or N) If so,										~			

Proposed Well Information						F 100			
Enter the following information on a	ill proposed wells on t	ne property, i	f more than	two wel	s or alternate	constru	ction, submit	additional she	ets:
Well Name Assigned by Well Owner (North Well, etc.):						<u></u>		······································	
Well Number Assigned by Owner (001, 002, etc.):									
Well Loc: Quarter Quarter Section or French Long Lot Number	5E 1/4 of N	€ 1/4 of	Section £	32	1	1/4 of	1/4 of	Section	
or Government Lot Number					<u> </u>				
Township & Range (Select E or W	1) T 27 N	I,R 7	ΧE	W	T		N, R	<u>LE</u>	<u>∐w</u>
Latitude (Degrees and Minutes)	44 .	46.		1		0			
Longitude (Degrees and Minutes)	491 0	14.	018			0			· · ·
GPS Map Datum (WGS84, WTM91, etc.)			Potab	.1				Potable	
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: IsrigAt	ION		otable	Туре:			Non-Po	
Orilling Method(s) (Rotary,	De Rotur								
nticipated Geological Materials and				,				011-	
Material and Depth Interval:	SAND GrANN	from		60	·		from	0' to	
Material and Depth Interval:	Sand stowe	from 6	v 'to 5	50			from	1 to	
Material and Depth Interval:		from	' to				from	' to	
Material and Depth Interval:		from	' to				from	' to	
Material and Depth Interval:		from	' to				from	' to	<u> </u>
illhole Diameter and Anticipated Dep								1 k-	
Diameter and Depth Interval:	16"	from (6' to 3	50 '			from	' to	
Diameter and Depth Interval:		from	' to				from	' to	
Diameter and Depth Interval:	1146 1176 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	from	' to	<u>. 'l</u>			from	' to	<u>_</u>
rmanent Casing or Liner Diameter a Diameter and Wall Thickness	1			1					
at Depth Interval:	16 " diam/ -375	" thick	0' to <	00 '	" diam	<i>y</i>	" thick	0' to	<u></u>
Diameter and Wall Thickness at Depth Interval:	<u>" diam/</u>	" thick	' to		" diam		" thick	<u>' to</u>	
manent Casing or Liner Material, If Casing Joints (Welded, T and C,	Used:								
etc.) Vaterial and Weight at Depth Interval:	1	lbs/foot	0 to			1	lbs/foot	0' to	,
Material and Weight	1	lbs/foot	to.	٠, ا	-	1	lbs/foot	' to	1
at Depth Interval: een Material, Slot Size in Inches and Depth Interval or N/A if none:		"1.	' to	,			*/	' to	,
Casing to Screen Joint (Welded, T									
ular Space Material Including Filter									
laterial and Depth Interval:	Betourlo		0' to 2	20 1		·····	<u> </u>	0' to	.
Material and Depth Interval:			' to					¹ to	
Day in Gallons: Dosed Maximum Water Usage Per	1.152,000								
Day in Gallons: sonal? (April to October, Year ground, etc.):	April oct.	<u> </u>							
posed Pump Type & Capacity gpm):	'' '' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ')ogpn							<u></u>
charge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	13"	<u> </u>							
charge Location (Building Pressure) ank, Pond, etc.):	Isrigation pip	e e e e e e e e e e e e e e e e e e e	go into a respective property.	ergriesers way.	of the open services	e de la pagada	engangangan dan berberah s	rainene a sud e la Carega	Sept. pt Nego
ance and Direction to Nearest Public Utility Well & Well Name:	Foll week	Soul	15 m	w			septi stately the pro-	opis uprise in magnetics.	en in
ance to Other Potential ontaminant Sources: ance to Other Potential	A CONTRACTOR OF THE STATE OF TH	n, in the state of the second	્રાજ્યના હોલ્સાનો કરોનો જો	ાર્ક મહાર્થન રહ્યા	Carlo Ca	agusta ing Nasa	and place of Alexandra	už sie ied	<u> Sil</u> a ₁₀ 0
ontaminant Sources:									

Required Attachments

- 1. Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pittess, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	a \	Check Box	
Knuchtson FARMS	CALL KNUCKSON	U Owner	Agent of the Owner
Signature Land Kinuston	Company		Date 4-30-14
Application submittal. Mail completed application Section - DG/2, PO Box 7921, Madison WI 5370		ttachments to DNR,	Private Water Systems
Definitions from Wisconsin Administrative Co	des	er erag perion for a raphy given safe, declaration is	
101 11 1 10 110		0.00/0/11	

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]


"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]





Farm Implement Manufacturing & Repair
Custom Manufacturing
Wagons - Bale Racks - Feeders
Hydraulic Driven Gravity Boxes - Running Gears
Augusta, Wisconsin 54722 - (715) 286-2242

